

ADVANCED SYNTHETIC MOTORCYCLE 20W50 SL/CF/MA2

DESCRIPTION:

Cerma Motorcycle 20W50 is specially designed to protect motorcycle engines. It is formulated with a premium additive package chosen for exceptional wear protection, sludge and varnish resistance, and thermal stability.

FEATURES/BENEFITS:

- Reduces heat, friction, and wear
- Gives excellent protection for transmissions and wet clutches
- Helps reduce foaming and air-entrainment in high speed engines
- Provides excellent protection for air cooled engines
- Multi-grade formula allows easier cold starts while maintaining high temperature film strength
- Outstanding protection against thermal and viscosity breakdown
- Protects against piston/cylinder scuffing

APPLICATIONS:

Cerma Motorcycle 20W50 can be used in all 4-stroke motorcycle engines, including racing, high performance, street, and off road motorcycles.

Meets Performance Requirements:

- API SL/CF
- JASO MA, MA2

* ALWAYS CONSULT YOUR OWNER'S MANUAL FOR THE PROPER FLUID FOR YOUR EQUIPMENT.

TYPICAL TEST DATA

SAE Grade	20W50
Specific Gravity @ 60 °F	0.8769
Viscosity, Kinematic	
cSt at 40°C	140
cSt at 100°C	17.7
Viscosity Index	141
Cold Crank, cP at °C, Max	9500@ -15C
Flash Point, (°F)	440
Pour Point, °C (°F)	-18 (0)
Color, Max	3.5

Typical test data are average values only. Minor variations which do not affect product performance are to be expected during normal manufacturing.